

Condensation of cyclohexanone with...

S/081/62/C00/021/015/069
B156/B101

and 9 g VIIb. 70 g VIIa in 300 ml of a 50 % mixture of alcohol and C_6H_6 are saturated with HCl gas, and the solvent is distilled off in vacuo; the residue is dissolved in water and neutralized with alkali, and ether used for extracting 80 % of VIII, $C_{17}H_{25}N$, b.p. 176 - 177°C/0.8 mm Hg, n.p. 28 - 29°C, n_D^{20} 1.5495, ferrocyanate, $C_{17}H_{25}N \cdot H_4[Fe(CN)_6]$, m.p. 180°C (with decomposition), ferricyanate, $(C_{17}H_{25}N)_2 \cdot H_3[Fe(CN)_6]$, m.p. 161°C (decomposition), and hexachloro platinate, $(C_{17}H_{23}N)_2 \cdot H_2(PtCl_6)$, m.p. 215 - 218°C, [Abstracter's note: Complete translation.]

Card 4/4

TILICHENKO, M.N.

Conversion of methylenebiscyclohexanone to 2,2'-diaminoperhydroxy-
diphenylmethane. Zhur.ob.khim. 32 no.6:2060 Je '62. (MIRA 15:6)

1. Dal'nevostochnyy gosudarstvennyy universitet g. Vladivostok.
(Cyclohexanone) (Methane)

TILICHENKO, M.N.; BERBULESKU, N.S.; VYSOTSKIY, V.I.

Transition from tricyclohexenones to tricyclohexenylamines.
Zhur.ob.khim. 31 no.12:4058-4059 D '61. (MIRA 15:2)

1. Dal'nevostochnyy gosudarstvennyy universitet.
(Cyclohexenone)
(Cyclohexenylamine)

TILICHENKO, M.N.; ABRAMOVA, M.A.; YEGOROVA, M.Ye.; NOVOKRESHCHENOVA, N.S.;
SUSHKO, L.I.

New insecticides against fleas. Med.paraz.i paraz.bol. no.5:614-
616 '61. (MIRA 14:10)

1. Iz laboratoriya organicheskoy khimii Saratovskogo gosudarstvennogo
universiteta imeni N.G. Chernyshevskogo, kafedry biokhimii Sara-
tovskogo meditsinskogo instituta i Nauchno-issledovatel'skogo insti-
tuta "Mikrob."

(INSECTICIDES)

(FLEAS)

(ACRIDINE)

TILICHENKO, M.N.; KHARCHENKO, V.G.

Condensation of aldehydes and ketones. Part 10: Diketone
condensation of β -acetonaphthalene with aldehydes. Zhur.ot.khim.
32 no.4:1192-1194 Ap '62. (MIRA 15:4)

1. Dal'nevostochnyy gosudarstvennyy universitet, g. Vladivostok,
i Saratovskiy gosudarstvennyy universitet imeni N.G.Chernyshevskogo.
(Naphthalene) (Aldehydes) (Ketones)

TILIGENKO, M. N. [Tilichenko, M. N.]; BADITA, Gh.; BARBULESCU, N.

Condensation of cyclohexanone with isoamylic aldehyde. *Analule chimie*
16 no.4:31-43 O-D '61.

1. Membru al Comitetului de redactie", *Analele romino-sovietice,*
Chimie" (for Barbulescu).

S/081/61/000/020/041/089
B140/B110

AUTHORS: Tilichenko, M. N., Vysotskiy, V. I.

TITLE: Improved method of synthesizing methylene dicyclohexanone

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 20, 1961, 160, abstract
20Zh81 (Uch. zap. Yakutskogo un-ta, no. 8, 1960, 27 - 28)

TEXT: The method of synthesizing methylene dicyclohexanone-2 (I) (see RZhKhim, 1957, no. 9, 30533) was improved. 1.1 moles of CH_2O was added to a mixture of 7.1 moles of cyclohexanone and 120 milliliters of 4 N alcoholic NaOH at 70°C within 30 min. The mixture is then stirred at 70°C for 30 min, cooled, and neutralized with 28.5 g of glacial acetic acid. On distillation, I (b.p. $151 - 155^\circ\text{C}/3\text{mm Hg}$, m.p. 58°C) is obtained from the organic layer in a yield of 77%. When the reaction mixture is left standing for 16 hrs after neutralization, tricyclohexanolone (2,3 tetra-methylene bicyclo-[3,3,1]-nonanol-2-one-9) precipitates in a yield of 9.2%, and I is formed in a yield of 67.5%. [Abstracter's note: Complete translation.]

Card 1/1

TILICHENKO, M.N.

Diketone condensation of α, α -dimethyltetrahydro- γ -pyrone with formaldehyde. Izv.vys.ucheb.zav.; khim.i khim.tekh. 4 no.1:96-98 (MIRA 14:6) '61.

1. Saratovskiy gosudarstvennyy universitet imeni N.G.Chernyshevskogo, kafedra organicheskoy khimii.
(Pyranone) (Formaldehyde)

30018
R/003/61/012/011/001/002
D015/D105

5 3400

AUTHORS: Bărbulescu, Em., Bărbulescu, N., and Tilichenko, M.N.
TITLE: Condensation of cyclohexanone with n- and i-butyric aldehydes
PERIODICAL: Revista de Chimie, v. 12, no. 11, 1961, 631 - 636

TEXT: The article deals with the diketonic condensation of cyclohexanone with isomeric n- and i-butyric aldehydes and with the products obtained. The work was started in 1949 at the "N.G. Chernyshevskiy" University in Saratov, USSR, by M.N. Tilichenko and N.K. Astakhova [Ref 1: DAN. 74, 1950, p 951] and by M.N. Tilichenko alone [Ref 2: Annals of the Saratov University, 1954], who demonstrated that α -methyl and α -methylene ketone condensation with aromatic and aliphatic aldehyde can direct the diketonic condensation towards the formation of the A-type δ -diketones. Similar studies were conducted later by several Western scientists and J. Plešek and P. Munk [Ref 12: Coll. Czech. Chem. Comm. 5, vol. 22, 1957, p. 1,596] who achieved a cyclohexanone condensation with acetic and propionic aldehydes, establishing the formation of corresponding tricyclic ketones. The reaction process depends on whether the diketonic condensation of

Card 1/3

30018
R/003/61/012/011/001/002
D015/D105

Condensation of cyclohexanone with n- and i- butyric aldehydes

cyclohexanone was carried out with isomeric n- or i-butyric aldehydes. In case of a diketone condensation, the normal aldehyde leads to a δ -diketone I, i.e. α,α -butylidene-bis-cyclohexanone, with a yield of 36-40%, which condensates into the corresponding ketole II, i.e. 3,4-tetramethylene, 2-propyl-dicyclo-(3, 3, 1)-nonanol-4, one-9. Isobutyric aldehyde mainly leads to the α,β -nonsaturated ketone III, i.e. α -isobutylidene-cyclohexanone of a 41% yield and to the α,α' -diethylene ketone IV, i.e. α,α' -diisobutylidene-cyclohexanone of a 38% yield. The condensation product δ -diketone V, i.e. α,α -isobutylidene-bis-cyclohexanone, which passes quantitatively into the isomeric ketone VI, i.e. 3, 4-tetramethylene, 2-isopropyl-dicyclo-(3, 3, 1)-nonanol-4, one-9, gives a yield of only 4%. The α,β -nonsaturated ketone III is inert in the Michael reaction, probably due to a steric hindrance or electrical effect, whereas the α,β -nonsaturated isomeric ketone X, i.e. α -butylidene-cyclohexanone, reacts normally. Diketonic condensation may give a yield of approx 20%, by using a solvent requiring a temperature of 115°C, and by using the action of sodium isobutylate in

Card 2/3

30018

R/003/61/012/011/001/002

D015/D105

Condensation of cyclohexanone with n- and i-butyric aldehydes

the presence of isobutyl alcohol. The authors prepared semicarbazone XIII, $C_{11}H_{19}ON_3$, from the ketone III and hydroxylamine derivative XIV, $C_{14}H_{23}O_3N_2$, from

the ketone IV. By hydrogenation in the presence of palladium, the α, β -nonsaturated ketones III and X were converted into the saturated isomeric ketones XI and XII, i.e. α -isobutyl-cyclohexanone and α -butyl-cyclohexanone, respectively. There are 6 tables and 18 references: 11 Soviet-bloc and 7 non-Soviet-bloc. X

ASSOCIATION: Em. Bărbulescu and N. Bărbulescu: Universitatea "C.I. Parhon" ("C.I. Parhon" University) in Bucharest; M.N. Tilichenko: State University in Vladivostok

Card 3/3

FROST, Andrey Vladimirovich, prof. [deceased]: Prinimali uchastiye:
 BUSHMAKIN, I.N.; VVEDENSKIY, A.A.; GRYAZNOV, V.M.; DEMZHT'YEVA,
 M.I.; DINTSES, A.I.; DOBRONRAVOV, R.K.; ZHARKOVA, V.R.; ZHERKO,
 A.V.; IPAT'YEV, V.N.; KVIATKOVSKIY, D.A.; KOROBV, V.V.; MOOR,
 V.G.; NEMTSOV, M.S.; RAKOVSKIY, A.V.; REMIZ, Ye.K.; RUDKOVSKIY,
 D.M.; RYSAKOV, M.V.; SEREBRYAKOVA, Ye.K.; STEPUKHOVICH, A.D.;
 STRIGALEVA, N.V.; TATEVSKIY, V.M.; TILICHEYEV, M.D.; TRIFEL',
 A.G.; FROST, O.I.; SHILYAYEVA, L.V.; SHCHEKIN, V.V.. DOLGOPOLOV,
 N.N., sostavitel'; GERASIMOV, Ya.I., .otv.red.; SMIRNOVA, I.V., red.;
 TOPCHIEVA, K.V.; YASTREBOV, V.V., red.; KONDRASHKOVA, S.F., red.
 izd-va; LAZAREVA, L.V., tekhn.red.

[Selected scientific works] Izbrannye nauchnye trudy. Moskva,
 Izd-vo Mosk.univ., 1960. 512 p. (MIRA 13:5)

1. Chlen-korrespondent AN SSSR (for Gerasimov).
 (Chemistry, Physical and theoretical)

TILICHEYEV, M.D.

DECEASED 1957

Chemistry

See ILC

TILIK, G. P.
USSR/Medicine - Roentgenology

FD-708

Card 1/1 : Pub 132 19/22

Author : Tilik, G. P.

Title : Discussion of V. V. Dmokhovskiy's theory on X-ray apparatus

Periodical : Vest. Rent. i Rad. 82-84, May/June 1954

Abstract : Discusses V. V. Dmokhovskiy's theory concerning the exploitation of the "critical region." Dmokhovskiy sought to establish a relationship between the radiation intensity on the receiver of the X-ray energy, the voltage in the tube, and the anode current in the tube. He derived and founded mathematically a theory of work region where the radiation intensity falling on a screen or film has its greatest value for a given resistance. This was called the "critical region" by Dmokhovskiy. No drawings; no references.

Institution : --

Submitted : --

TILICHENKO, N.M.; VYSOTSKIY, V.I.

Condensation of aldehydes and ketones. Part 9: Condensation of
symm.octahydroacridine with benzaldehyde. Zhur. ob. khim. 32 no.1:
84-86 Ja '62. (MIRA 15:2)

1. Dal'novostechnyy gosudarstvennyy universitet.
(Acridine) (Benzaldehyde)

KOMYAK, N.; TILIK, G.

The way we organized our collaboration. Tekh. est. 2 no.7:11
Jl '65. (MIRA 18:8)

1. Glavnyy konstruktor, nachal'nik Spetsial'nogo konstruktorskogo byuro Leningradskogo soveta narodnogo khozyaystva (for Komyak).
2. Nachal'nik konstruktorskogo otdela Spetsial'nogo konstruktorskogo byuro rentgenovskoy apparatury Leningradskogo soveta narodnogo khozyaystva (for Tilik).

TILIK, G.O., inzh.; LEVIT, L.M., inzh.

Universal impulse signaling relay. Elek. sta. 31 no.9:66-63
S '60. (MIRA 14:10)

(Electric relays)

TILIK, G. P.

TILIK, G.P.

Discussion on V.V.Dmukhovskii's theory of roentgenologic apparatus.
Vest. rent. i rad. no.3:82-84 My-Je '54. (MLRA 7:7)

(BIOGRAPHIES,

*Dmukhovskii, V.V.)

(ROENTGENOLOGY,

*contribution of V.V.Dmukhovskii)

GAMERSHTEYN, V.A.; TILIK, V.T.

Adoption and the industrial production of coiled tinned
steel sheet having a thickness of 0.20 mm. Met. i
gornorud. prom. no.4:74-76 JI-Ag '62. (MIRA 15:9)

1. Zaporozhskiy staleplavil'nyy zavod.
(Rolling (Metalwork))
(Tinning)

KOROBKA, B.A.; OVCHINNIKOVA, V.I.; SMIRNOV, N.S.; SEREBRYAKOV, G.V.;
TIL'K, V.T.

Using ultrasonics for cleaning the surface of hot rolled
transformer steel. Stal' 24 no.12:1127, 128 D '64. (MIRA 18:2)

1. Ural'skiy nauchno-issledovatel'skiy institut chernykh
metallov i Verkh-Isetskiy metallurgicheskiy zavod.

KSENZUK, F.A.; TSELOVAL'NIKOV, V.M.; TILIK, V.T.; TROSHCHENKOV, N.A.

Increasing the output of a continuous three-high cold rolling mill.
Met. i gornorud. prom. no. 6:27-29 N-D '63. (MIRA 18:1)

ACCESSION NR: AT4014063

S/3072/63/000/000/0080/0038

AUTHOR: Ksenzuk, F. A.; Troshchenko, N. A.; Tilik, V. T.

TITLE: Technological lubricants for cold rolling of sheet and thin plate

SOURCE: Fiz.-khim. zakonomernosti deystviya smazok pri obrabotke metallov davleniyem. Moscow, Izd-vo AN SSSR, 1963, 80-83

TOPIC TAGS: cold rolling, rolling mill, lubricant beef tallow, castor oil, palm oil, mineral oil, stainless steel

ABSTRACT: The usually applied 2% emulsion of standard emulsol for cold rolling of sheets is not satisfactory, causing high contact pressure between metal and rolls, enhancing formation of carbon deposit and thus preventing eventual tinning, and not permitting rolling of sheets thinner than 0.25 mm. Therefore, other technological lubricants have been tried, such as refined cottonseed oil, hydrogenated sperm oil, palm oil, beef tallow, castor oil, and hydrogenated vegetable oils. Best results in rolling have been obtained with beef tallow and castor oil. However, beef tallow has caused clogging of drain pipes, due to its high melting point. For the same reason hydrogenated sperm oil has proven to be inadequate. Cotton-

Card 1/4

ACCESSION NR: AT4014063

seed oil has been ruled out for its high cost. Palm oil and castor oil have been accepted as best and have been the basic lubricants for sheet rolling during the last three years. However, these oils also have substantial deficiencies. Palm oil is oxidized considerably after storage times above six months, and consequently loses its effectiveness as lubricant; also, it is an imported item. With castor oil, it is difficult to obtain uniform sheet thickness in rolling; furthermore, it is a scarce product. Hydrogenated sunflower-seed oil has been proposed and tried as lubricant for sheet rolling (lubricant PKS-1) and has been found to be nearly equivalent to palm oil. It has been found that by application of effective technological lubricants on one-unit rolling mills, the production can be raised by 30-40% because of reduction of number of passes from 3 to 2. On three-unit rolling mills, rolling of sheets can be done down to a thickness of 0.20 to 0.22 mm; also, an intermediate anneal can be abolished in rolling of No.28 and 32 sheets. Furthermore, it has been found that failures of rolls and bearings are reduced, and the quality output of tinplate is raised up to 95%. However, lubricant PKS-1 is made from raw food material. Therefore, since 1960 a search for new technological

Card 2/4

ACCESSION NR: AT4014063

lubricants has been under way. Mineral oils of various viscosities, mineral oils with addition of different fatty acids and vegetable oils, and, for comparison, pure vegetable oils have been tested on a one-unit rolling mill. It has been found that lubricants of higher viscosity correspond to higher stretching coefficients in rolling. The best of the tested mineral lubricants has been cylinder oil No.6. However, difficulties have been experienced in spreading this viscous lubricant on the work. Therefore, preference has been given to cylinder oil No.24 (viscosin), which is equivalent to PKS-1 with respect to stretching of sheet and power requirement but approximately 40 times less expensive. However, the surface quality of sheets has been different when using viscosin or PKS-1. With PKS-1 a shiny smooth surface has been produced, while with viscosin the finished surface has been dull, with white spots from rolled-in oil which sometimes made complete degreasing difficult. It has been concluded that high viscosity mineral oils can be advantageously used as technological lubricants in cold rolling of thin sheets and plates, instead of expensive oils of vegetable or animal origin. For manufacture of cold rolled stainless sheets of 0.8-1.4 mm thickness, strips 1.5-1.8 mm thick have been subjected to intermediate heat treatment and pickling, and then rolled to final thickness. Spindle oil has been used as the lubricant. Under such conditions a great amount of rework was needed and the sheet quality was low.

Card 3/4

Instead of the above procedure, coil rolling of stainless steel strips of 0.7;0.8; 0.9;1.0;1.2;1.3; and 1.4 mm from prerolled sheet 3 mm thick without intermediate heat treatment has been adopted. Such rolling has been made possible by using polished rolls and P-28 oil and viscosin. as lubricants. Total reduction of sheet thickness without preliminary heating has been increased from 50-55 to 77%, not only for austenitic but also for steels of lower plasticity, such as austenitic-ferritic, austenitic-martensitic, and ferritic-martensitic stainless steels without occurrence of edge tearing. The number of passes for rolling 0.8 and 1.0 mm thick strips has been reduced from 14 and 12 to 11 and 9, respectively; surface quality has improved, and driving power and pressure on rolls have not been excessive. Production has been increased by 70%, by applying higher speed with fewer passes. For rolling of 1.5-2.5 thick stainless strips, spindle oil has been retained as the lubricant. The use of high viscosity mineral lubricants, such as viscosin, has proved adequate also for cold rolling of thin (0.35 mm) transformer steel sheets. Orig. art. has: 11 tables.

SUBMITTED: 00

DATE ACQ: 19Dec64

ENCL: 00

SUB CODE: MM, *IE*

NO REF SOV: 004

OTHER: 000

Card 4/4

YASHNIKOV, D.I., inzh.; TILIK, V.T., inzh.; TROSHCHENKOV, N.A., inzh.;
Prinimali uchastiye: SAMOYLOV, I.D., inzh.; VERBITSKIY, A.I.,
inzh.; KLASNIKOV, A.S., inzh.; BURBELO, V.G., inzh.; KSENZUK,
F.A., inzh.; MIRKINA, R.Ye., inzh.; GOL'DSHTEYN, F., inzh.;
BOZHKO, S.S., inzh.

Reducing the consumption of tin in improving the microgeometry
of sheet iron surfaces. Stal' 21 no.9:862-864 S '61. (MIRA 14:9)

1. Zavod "Zaporozhstal".
(Tinning) (Surfaces (Technology))

TROSHCHENKOV, N.A.; TILIK, V.T.; MOVSHOVICH, V.S.

Quality of the cut of strip edges. Metallurg 8 no.5:29
My '63. (MIRA 16:7)

1. Zaporozhskiy staleplavil'nyy zavod.
(Metal cutting—Quality control)

1ST AND 2ND DEGREE										3RD AND 4TH DEGREE									
PROCESSES AND PROPERTIES INDEX																			
<p>BC</p>										<p>B-III-4</p>									
<p>Hydrogen sulphide content of preserved fish. Z. E. THOM (Keweenaw, Wis., 1955, No. 8, 24-27).—Preserved fish of good quality may give a positive test for H₂S. Frying has little effect on the amount of H₂S in fish. Formation of H₂S is attributed to decomp. of crystals by the slightly alkaline solution (pH 6.6-7.2) used in marinating. Such decomp. is much less during sterilization in tomato jelly (pH 3.4-4.3) and H₂S occurs in the product in negligible amount or not at all. Car. Ans. (7)</p>																			
ASD-5.4 METALLURGICAL LITERATURE CLASSIFICATION																			
REGION SYMBOLISM										REGION SYMBOL									
<p>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20</p>										<p>21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40</p>									

KSENZUK, F.A., inzh.; KHUDAS, A.L., inzh.; TROSHCHENKOV, N.A., inzh.;
GAMERSHTEYN, V.A., inzh.; AKIMOV, E.P., inzh.; IOFFE, M.M., inzh.;
VEKLICH, M.I., inzh.; ANTIPENKO, V.G., inzh.; TILIK, V.T., inzh.;
FILONOV, V.A., inzh. [deceased]; BORISENKO, V.G., inzh.

At the "Zaporozhstal'" plant. Stal' 23 no.6:554, 562, 572, 575
Je '63. (MIRA 16:10)

TROSHCHENKOV, N.A., inzh.; TILIK, V.T., inzh.; MIRENSKIY, Yu.M., inzh.

"Metals for sheet-metal work" by V.P.Severdenko, S.A.Pasechnyi.
Stal' 23 no.1:89 Ja '63. (MIRA 16:2)

1. Zavod "Zaporozhstal".
(Sheet-metal work)

(Steel, Automobile)

COMMON ELEMENTS																										PROCESSES AND PROPERTIES																									
1ST AND 2ND GROUPS																										3RD AND 4TH GROUPS																									
<p><i>ca</i></p> <p>The content of hydrogen sulfide in preserved fish. Z. E. Tikh. <i>Konservnaya Prom.</i> 1935, No. 8, 24-7. A pos. reaction for H_2S is permissible in preserved fish of good quality. Detns. by the Almy method (C. A. 19, 1917) showed H_2S in preserved fish from material originally free from it. Frying has little effect upon the content of H_2S in preserved fish. In fish preserved with a tomato jelly H_2S was negligible in amt. or absent. Formation of H_2S is supposed to be due to the weakly alk. medium used in sterilization (pH 6.8-7.2); this possibly contributes to the decompn. of cystine with formation of H_2S. In sterilization with a tomato jelly at pH 5.0-6.3 cystine is apparently hydrolyzed to a far less degree.</p> <p>B. V. Shvartzberg</p>																										<p><i>12</i></p>																									

ASB-SLA DETAILING LITERATURE CLASSIFICATION

GINTS, B.K., kand. tekhn. nauk; TILIKINA, G.I., student; KHODYKO, T.V.,
student

Weight method for the measurement of air flow velocities. Sbor.
nauch. rab. Bel. politekh. inst. no.69:5-15 '58.

(MIRA 12:7)

(Air flow--Measurement)

ACC NR: AT7001785

SOURCE CODE: UR/3119/66/000/004/0057/0069

AUTHOR: Shvarts, K. K.; Tiliks, Yu. Ye.; Tone, D. K.; Ulmane, I. M.

ORG: Institute of the Physics AN LatSSR (Institut fiziki AN LatSSR)

TITLE: Radiation-chemical processes in ionic crystals. 1. Radiolysis of alkali-halide crystals under the influence of gamma rays

SOURCE: AN LatSSR. Institut fiziki. Radiatsionnaya fizika, no. 4, 1966. Ionnyye kristally (Ionic crystals), 57-69

TOPIC TAGS: ionic crystal, alkali halide, gamma radiation, radiolysis, radiation chemistry, color center, physical diffusion

ABSTRACT: This is the first of a cycle of investigations of the radiation-chemical processes occurring in ionic crystals, aimed at determining the relation between radiolysis and radiation defects. The investigations were made on KCl, KBr, KI, and CaCl crystals grown by the Kiropoulos method from the raw material. The irradiation was in the RK-L radiation loop, which is described elsewhere (in: Radiatsionnaya fizika [Radiation Physics] v. 2, 35, Riga, 1964) at doses from 200 to 1400 rad/sec. The test procedures are briefly described. The results show that the stable products are the free halogen and electronic and colloidal centers. The radiation-chemical yields of the radiolysis products are of the order of 10^{-2} mole per absorbed 100 ev of

Card 1/2

ACC NR: AT7001785

energy. The radiolysis process depends to a great degree on the presence of impurity defects. Doubling of the impurity content increases the radiation-chemical yield of the radiolysis products by an average of 20%. The radiolysis products from the irradiated crystals change little with time. All that occurs is the diffusion of the gaseous products from the crystal to the gas phase. Optical and thermal discoloring causes an increase in the yield of the metallic product. The amount of transformed halogen does not change, but the diffusion processes are accelerated. Further research is necessary, especially on the temperature dependence of the yield of the metal and of the halogen, in order to determine the nature of the color centers produced by the irradiation. Orig. art. has: 5 figures, 3 formulas, and 3 tables.

SUB CODE: 20/ SUBM DATE: 00/ ORIG REF: 013/ OTH REF: 018

07/

Card 2/2

TILIN, A.M., inzh.

Support for the AB-400 automatic hole-boring machine for mechanized driving of ground electrodes. Suggested by A.M.Tilin. Rats. i izobr. predl. v stroi. no.15:22-23 '60. (MIRA 13:9)

1. Po materialam tresta Yunslektromotazh Ministerstva stroitel'stva USSR.

(Boring machinery)

TILIN, A.M., inzh.

Device for the internal checking of ventilators. Suggested by A.M.
Tilin. Rats. i izobr. predl. v stroi. no.15:27 '60. (MIRA 13:9)

1. Po materialam Tekhnicheskogo upravleniya Ministerstva stroitel'stva
USSR, Kiyev, ul.Sverdlova, 17.
(Fans, Electric)

TILIN, A.M.

Hand-operated extensible ladder mounted on the GAZ-51 truck. Rats
i izobr. predl. v stroi. no.15:52-53 '60. (MIPA 13:9)

1. Po materialam tresta Yuzheletromontazh Ministerstva stroitel'stva
USSR.

(Ladders)

TILIN, Lev Aronovich; kandidat tekhnicheskikh nauk, dotsent; LIVCHAK,
I.P., dotsent, kandidat tekhnicheskikh nauk, redaktor; GUSEV,
Yu.L., redaktor; TOKER, A.M., tekhnicheskij redaktor.

[Hot air radiant heating; methods for calculation] Luchistoe
otoplenie nagretym vozdukhom; metodika rashcheta. Moskva, Gos.
izd-vo lit-ry po stroit. i arkhitekture, 1955. 154 p. (MLRA 8:11)
(Radiant heating)

TILINA, Ye.L., inzh.

Graphs for arranging vertical rigidity ribs in steel girders.
Prom. stroi. 40 no.3:60-62 '62. (MIRA 15:3)

1. Gosudarstvennyy proyektnyy institut Proyektstal'konstruktsiya.
(Beams and girders)

TILINA, Ye.L., inzh.; TROITSKAYA, G.G., inzh.

Tables and graphs for checking the local stability of webs
of steel beams. Prom. stroi. 40 no.12:55-60 '62. (MIRA 15:12)

1. Gosudarstvennyy proyektnyy institut po proyektirovaniyu,
issledovaniyu i ispytaniyu stal'nykh konstruktsiy i mostov.
(Beams and girders--Testing)
(Steel, Structural--Testing)

IMMERMAN, A.G., kand.tekhn.nauk; TILINA, Ye.L., inzh.

An assortment of commonly used molded shapes made of aluminum
alloys for structural elements. Prom.stroi. 40 no.6:46-50
:62. (MIRA 15:6)

(Aluminum alloys)

TILINA-STANICHNIKOVA, M.S.

Find of Devonian spores in the sediments below the faunally characterized
Devonian in some regions of Second Baku. Trudy VNIGRI no.239:47-52 '65.
(MIRA 18:7)

KOVAN, I.A.; PATRUSHEV, B.I.; RUBANOV, V.D.; TILININ, G.N.; ~~FRANK~~ KAMENETSKIY,
D.A.

Effect of spatial amplification of variable magnetic fields in the
case of magnetoacoustic resonance in a plasma. Zhur. eksp. i teor.
fiz. 43 no.1:16-20 J1 '62. (MIRA 15:9)
(Magnetic fields) (Plasma (Ionized gases))

TILININ, S.F., inzh.

Phase-by-phase repair of a 110 kv. switch with three-phase
control. Energetik 10 no.9:28-29 S '62. (MIRA 17:1)

TILININA, T.K., aspirant

Electrophoretic investigation of protein fractions of the
blood serum in pregnant women with rheumatic heart disease;
preliminary report. Sbor. trud. Kursk. gos. med. inst. no.
16:235-240 '62. (MIRA 17:9)

1. Iz kliniki gosptal'noy terapii (zav. - prof. A.I. Matosyants)
i kliniki akusherstva i ginekologii (zav. - prof. A.G. Butylin)
Kurskogo meditsinskogo instituta.

TILININ, S.F., inzhener.

Hard alloy surfacing of the underwater parts of hydraulic turbines.
Energetik 3 no.11:12 N '55. (MLRA 9:1)
(Hydraulic turbines) (Hard facing)

KOBYLKIN, I.I., master; TILININ, S.F., inzhener.

Finishing hard-faced vanes of the guide-vane mechanism of
hydraulic turbines. Energetik 3 no.12:16-17 D '55.
(Metals--Finishing)(Hydraulic turbines--Blades)(MLRA 9:2)

Tilinin, S. F.

AID P - 3544

Subject : USSR/Electricity
Card 1/1 Pub. 29 - 8/27
Author : Tilinin, S. F., Eng.
Title : Welding of submerged parts of water wheels with a hard alloy
Periodical : Energetik, 11, 12, N 1955
Abstract : The author describes beading operations performed at one of the hydroelectric power stations where submerged parts of water wheels were corroded by quartz particles suspended in water. The beading was done with the electrode T-590. The author describes the method used.
Institution : None
Submitted : No date

AID P - 3706

Subject : USSR/Electricity

Card 1/1 Pub. 29 - 11/25

Authors : Kobylkin, I. I., Foreman, and S. F. Tilinin, Eng.

Title : Machining of fused-on blades of the guide-vane apparatus
of water wheels

Periodical : Energetik, 12, 16-17, D 1955

Abstract : The author describes the method used in machining the
fused-on blades of the guide-vane apparatus of water
wheels. Three photographs.

Institution : None

Submitted : No date

PHASE I BOOK EXPLOITATION

SOV/5658

Ivanov, Aleksandr Petrovich, Candidate of Technical Sciences, and
Viktor Dmitriyevich Lisitsyn, Candidate of Technical Sciences,
eds.

Modernizatsiya kuznechno-shtampovochnogo oborudovaniya (Moderni-
zation of Die-Forging Equipment) Moscow, Mashgiz, 1961. 226 p.
Errata slip inserted. 10,000 copies printed.

Reviewer: V. Ye. Nedorezov, Candidate of Technical Sciences; Ed.
of Publishing House: T. L. Leykina; Tech. Ed.: A. A. Bardina;
Managing Ed. for Literature on Machine-Building Technology
(Leningrad Department, Mashgiz): Ye. P. Naumov, Engineer.

PURPOSE: This book is intended for foremen, machinists, designers,
and process engineers concerned with the modernization and de-
signing of die-forging equipment. It may also be used by students
at schools of higher education.

COVERAGE: The book contains material presented at the Conference

Card 1/8

Modernization of Die-Forging Equipment

SOV/5658

on Problems in the Modernization and Operation of Die-Forging Equipment, held in November 1958 in Leningrad. The Conference was called by Leningradskiy Sovet narodnogo khozyaystva, Sektsiya obrabotki metallov davleniyem Leningradskogo oblastnogo pravleniya NTO Mashprom (Leningrad Council of the National Economy, Section of Metal Pressworking at the Leningrad Oblast Board of the Scientific and Technical Society of the Machine Industry) and Leningradskiy mekhanicheskii institut (Leningrad Mechanical Engineering Institute). Actual problems in the modernization, operation, and repair of die-forging equipment are described. Analyses are provided for problems involved in the mechanization and automation of die-forging and stamping operations. Also included are practical data to be used in the modernization of equipment. No personalities are mentioned. There are 59 references: 56 Soviet, 2 German, and 1 English.

TABLE OF CONTENTS:

Foreword

Card 2/8

3

Modernization of Die-Forging Equipment	27
SOV/5658	
Ch. I. General Problems in the Modernization of Die-Forging Equipment	
1. Basic trends in the modernization of die-forging equipment (V. B. Gordin, Candidate of Technical Sciences)	5
2. The requirements for die-forging equipment (A. P. Ivanov, Candidate of Technical Sciences)	5
Ch. II. Modernization of Forging and Die-Forging Steam Hammers	8
1. Hammers and their role in modern die-forging equipment (Z. M. Ginzburg, Engineer)	18
2. The modernization of steam-distributing devices of hammers (A. L. Ashkinazi, Candidate of Technical Sciences, and I. I. Kozhinskiy, Engineer)	18
3. Modernization of hammer control and drive (A. L. Ashkinazi, Z. I. Ginzburg, and K. K. Yekimov, Engineer)	19
4. Modernization and repair of foundations and anvil blocks of hammers (Yu. V. Belyayev, Candidate of Technical Sciences, Z. M. Ginzburg, and I. I. Kozhinskiy)	26
Card 3/8	31

Modernization of Die-Forging Equipment

SOV/5658

5. Modernization and repair of hammer frames and guides (V. A. Zhivchikov, Engineer, and I. I. Kozhinskiy) 38
 6. Modernization and repair of hammer cylinders and piston rods (Z. M. Ginzburg, V. A. Zhivchikov, I. I. Kozhinskiy, A. M. Kaznachev, and M. V. Tilinskiy) 41
 7. Modernization and repair of rams (I. I. Kozhinskiy) 50
 8. Lubrication of hammers (I. A. Gorbunov, I. I. Kozhinskiy, and A. I. Kaznachev) 53
- Ch. III. Modernization of Steam-Hydraulic and Hydraulic Presses 56
1. Modern trends and the outlook for modernization of hydraulic presses (A. L. Ashkinazi and V. B. Gordin) 56
 2. The ways for decreasing the weight and overall dimensions of hydraulic presses (Yu. P. Kyz'ko, Engineer) 58
 3. Modernization of steam-hydraulic "United" 2,000-ton forging press (B. P. Vasil'yev and V. A. Velezov, Engineers) 63
 4. Automation of steam-hydraulic "United" presses (S. P. Moiseyev, Engineer) 71

Card 4/8

Modernization of Die-Forging Equipment	SOV/5658
Ch. IV. Modernization of Mechanical Crankshaft Presses	78
1. Basic methods for the complete modernization of crankshaft presses (M. A. Goncharenko, Engineer, and V. D. Lisitsyn, Candidate of Technical Sciences)	78
2. Modernization of the drives of mechanical presses (A. P. Ivanov and V. B. Gordin, Candidates of Technical Sciences)	87
3. Modernization of engaging and disengaging mechanisms of crankshaft presses (V. A. Zhivchikov, A. M. Kaznacheyev, and V. D. Lisitsyn)	89
4. Modernization of control system of mechanical presses (V. D. Lisitsyn)	100
5. Modernization and repair of individual subassemblies and parts of mechanical presses (I. I. Kozhinskiy, and V. D. Lisitsyn)	108
6. Modernization of mechanical presses for the purpose of protecting them against overloading (Yu. M. Buzikov, Engineer)	115
7. Safety technique in the modernization of mechanical presses (V. D. Lisitsyn)	129

Card 5/8

Modernization of Die-Forging Equipment

SOV, 5658

Ch. V. Modernization of Horizontal-Forging Machines [Upsetters], Percussion Presses, and Shears	133
1. Modernization of horizontal-forging machines (V. A. Zhivchikov and I. I. Kozhinskiy)	133
2. Modernization of power-screw percussion presses (I. I. Kozhinskiy, and A. M. Kaznacheyev)	141
3. Modernization of eccentric shears for blanking operations (I. I. Kozhinskiy and V. N. Cherkasov, Engineer)	144
Ch. VI. Mechanization of Forging and Hot Die-Forging Operations in the Modernization of Hammers and Hydraulic Presses	149
1. Mechanisms and equipment for forging and die forging on hammers (K. K. Yekimov, Engineer)	149
2. Mechanisms and equipment for press-forging (K. K. Yekimov, and S. P. Moiseyev)	153
Ch. VII. Mechanization and Automation of Stamping Operations in The Modernization of Crankshaft Presses	160

Card 6/8

Modernization of Die-Forging Equipment

SOV/5658

1. Trends in application of mechanizing and automatizing devices in the modernization of presses (V. D. Lisitsyn and M. A. Goncharenko) 160
 2. Mechanical devices for feeding band and strip stock (M. A. Gutnik, Engineer, V. D. Lisitsyn, and Ye. S. Nazarenko, Engineer) 163
 3. Mechanical devices for feeding piece-blanks (V. D. Lisitsyn, and Ye. S. Nazarenko) 177
 4. Fully automated [production] lines (E. E. Roytershteyn, Engineer) 186
- Ch. VIII. Experimental Investigation of Die-Forging Equipment 191
1. General sequence for the calculation and design of machines in the modernization of die-forging equipment (A. P. Ivanov) 191
 2. Basic problems of the drive-system dynamics and of the automatic feed of stock in the modernization of presses (A. P. Ivanov and Ye. S. Nazarenko) 193

Card 7/8

Modernization of Die-Forging Equipment

SOV/5658

3. Methods and means for the experimental investigation of die-forging equipment (V. I. Znytsov and M. P. Pavlov, Candidates of Technical Sciences)

203

Bibliography

223

AVAILABLE: Library of Congress

Card 8/8

VK/wrc/ec
11-7-61

TILIPALOV, V.L.

The LShShR-1,5 transfer-machine line. Biul. tekhn.-ekon.
inform. Gos. nauch.-issl. inst. nauch. i tekhn. inform. 17 no.4:
32-33 Ap '64. (MIRA 17:6)

TILIPALOV, V.N.

The LGShP automatic assembly transfer-machine line. Biul.tekh.-
ekon.inform.Gos.nauch.-issl.inst.nauch.i tekhn.inform. 16 no.6:
30-33 '63. (MIRA 16:8)

(Assembly line methods)

TILIPKIN, N.N.

New design of an assembled chute. Stek. 1 ker. 22 no.1:43 Ja
'65. (MIRA 18:7)

TILIS, A.Yu; ISHAMOVA, M.T., (Tashkent)

Data on the mechanism of the action of transfused blood. Arkh.
pat. 17 no.2:40-46 Ap-Je '55. (MLRA 8:10)

1. Iz patofiziologicheskoy laboratorii (zav.dotsent. A.Yu.Tilis)
Uzbekskogo nauchno-issledovatel'skogo instituta perelivaniya
krovi.

(BLOOD TRANSFUSION,
mechanism of action of transfused blood)

(SERO THERAPY,
hemother, mechanism of action)

USSR/human and Animal Physiology. Thermoregulation.

T-3

Abs Jour: Ref Zhur-Biol., No 12, 1958, 55377.

Author : Dursteyn, Ch. I., Tilis, A. Yu.

Inst :

Title : The Alkali-Acid Balance in Dogs Subjected to Solar Overheating.

Orig Pub: Za sots. zdavookhr. Uzbekistana, 1956, No 4, 41-45.

Abstract: A significant decrease of the CO₂ content and of alkali reserves (AR), especially in arterial blood, was noted in dogs kept in a solarium (with a rise of body temperature to 40-40.5° [C] at the end of the first period of solar overheating which lasted for 30-50 minutes. The author explains the mechanism of this effect by the sharp rise in respiratory movements, as well as by the disturbance of the alkali-

Card : 1/3

USSR/Human and Animal Physiology. Thermoregulation.

T-3

Abs Jour: Ref Zhur-Biol., No 12, 1958, 55377.

acid balance through hyperventilation alkalosis. The second period (with a body temperature of $42-42.2^{\circ} [^{\circ}C]$), lasting for $1\frac{1}{2}$ -2 hours and more, was accompanied by an uninterrupted decrease of CO_2 and AR contents in the blood. The author explains this phenomenon as caused by the accumulation of suboxidized matter in the blood which is the result of anoxia and which develops during the second period of the experiment. The AR decrease was larger than the general decrease in CO_2 , and the larger the AR decrease the larger also the anoxemia. The third period (with a body temperature of $43-43.5^{\circ} [^{\circ}C]$) lasted for 20-40 minutes. Here, some increase of the CO_2 content of the arterial blood was noted, caused by terminal hypoventilation, as well as an

Card : 2/3

USSR/Human and Animal Physiology (Normal and Pathological)
Effects of Physical Factors, Ionizing Radiation.

T-13

Abs Jour : Ref Zhur - Biol., No 16, 1958, 75271
Author : Kalenova, S.D., Tilis, A.Yu., Teplyakova, Z.G., Kalugina,
V.I., Levin, G.S.
Inst : -
Title : On the Problem of Pathogenesis of Radiation Sickness.
Orig Pub : Probl. gematol. i perelivaniya krovi, 1957, 2, No 2, 18-
24, 63.

Abstract : A two-fold transfusion in dogs (after preliminary bleeding)
of 250-575 ml of blood, taken from dog donors in 7 and 12
days after general roentgen exposure of 500-800 g led to
the development of significant impairments of marrow hemo-
poiesis, predominantly on the side of a depression of the
leukopoiesis with stimulation of the deep reserves of he-
mopoiesis (decrease of immature forms of neutrophils,

Card 1/2

USSR/Human and Animal Physiology (Normal and Pathological).
Effect of Physical Factors. Ionizing Radiation.

T-13

Abs Jour : Ref Zhru - Biol., No 16, 1958, 75271

decrease of index of maturation of the latter, change of leukoerythroblast ratio, growth of number of reticular cells, plasmatisation of cells etc.). This is considered as an indication of the presence in the blood of the exposed animals of a toxic^(st) factor which influences the marrow hemopoiesis in the same direction as with direct exposure, and possesses significance in the pathogenicity of radiation sickness. -- E.B. Glikson.

Card 2/2

- 102 -

USSR / Pharmacology and Toxicology. Toxicology.

V-11

Abs Jour : Ref. Zhur - Biologiya, No 17, 1958, No. 80761

Author : Tilis, A. Yu.; Lyubetskiy, Kh. Z.; Shrayber, L. B.

Inst : Not given

Title : Influence of Dibasol on the Course of Experimentally-Induced Lead Intoxication

Orig Pub : Med. zh. Uzbekistana, 1957, No 11, 68-71

Abstract : 40 mg/kg of lead and 10 mg/kg of dibasol were introduced into guinea pigs daily for 162-174 days. The first symptoms of poisoning set in 3 months later, and the period of life of the animals was lengthened an average of 180 days by dibasol in comparison with the controls. An inhibition of the development of red blood changes was also noted. The further introduction of dibasol does not prevent the death of the animals. During poisoning of dogs with large doses of white lead (100 mg/kg), dibasol was not effective.

Card 1/1

116

CA

TILIS, A. Yu.

Disturbances of thermoregulation, respiration, hemodynamics, and composition of blood and spinal fluid upon solar overheating. A. Yu. Tilis (Tashkent Med. Inst.) - *Dept. PATHOL. Physiol.*
Arkh. Patol. 12, No. 1, 70-84 (1950). - Exposure of dogs to direct solar radiation (max. temp. about 44.4°) for 2.6 hrs. leads to fatalities as a result of loss of thermoregulation, with body temp. rise to 40-40.5° in 1st 40 min., followed by a slower rise to 42.2°, and terminating at 43-6°. The vastly increased respiration rate terminates 10-70 seconds before stoppage of cardiac function. Arterial pressure at first rises, then falls, with concurrent rise of venous pressure, which falls just before death. Hemoglobin content rises throughout the expt., but the no. of erythrocytes drops. Especially in the last period there is some loss of formed elements. Cl level steadily drops in the blood and in the spinal fluid. Blood sugar rises especially in the first stages; in spinal fluid the rise occurs especially in the 2nd period. G. M. Kosolapoff

TILIS, A. Yu., Doc Med Sci (diss) -- "The state of hemodynamics, gas exchange, and the respiratory function of the blood in anemia patients under conditions of a hot climate (Experimental-clinical investigation)". Tashkent, 1959. 33 pp (Tashkent State Med Inst), 300 copies (KL, No 22, 1959, 120)

TILIS 11.40.

KALENOVA, S.D.; TILIS, A.Yu.; TEPLYAKOVA, Z.G.; KALUGINA, V.I.; LEVIN, G.S.

Pathogenesis of radiation sickness [with summary in English, p.63]
Probl.gemat. i perel.krovi 2 no.2:18-24 Mr-Ap '57. (MLRA 10:6)

1. Iz Uzbekskogo nauchno-issledovatel'skogo instituta perelivaniya
krovi (dir. A.T.Astanov)
(RADIATION SICKNESS, etiol. & pathogen. (Rus))

NOSIKOV, A.; TILIS, F.

Our suggestions. Sots. trud 4 no.4:58-61 Ap '59. (MIRA 12:6)

1. Nachal'nik otдела труда i zarabotnoy platy upravleniya mashinostroyeniya Chelyabinskogo sovnarkhoza (for Nosikov).
2. Nachal'nik otдела труда i zarabotnoy platy Kolomenskogo teplovozostroitel'nogo zavoda im. V.V. Kuybysheva (for Tilis).
(Factory management)

TILIS, F.I.

Regulating the work normalization and remuneration in introducing
new raised wage scales. Mashinostroitel' no.8:41-45 Ag '57.
(Wages) (Factory management) (MLRA 10:8)

... ..

"Action accelerante des cetonas sur la reaction de Cannizzaro-Tistchenko. Communication I."
M. N. Tilitchenko. (p. 1086)

SO: Journal of General Chemistry (Zhurnal Obshchei Khimii). 1937, Volume 7, No. 7.

TILITCHENKO, M. N.

M. N. Tilitchenko and L. V. Sykova

"Chemical Structure of Cyclohexanone-Formaldehyde Resins", Journal of Applied Chemistry 25, 64-69, January 1952, Tchernishevskiy University, Laboratory for Organic Chemistry.

ABSTRACT AVAILABLE

D-50054

TILIVEA, N.

A new and important petroliferous region. p.333

PETROL SI GAZE. (Asociatia Stiintificia a Inginerilor si Tehnicienilor din
Romania si Ministerul Industriei Petrolului si Chimiei) Bucuresti Rumania
Vol.10 no.8 July 1959

Monthly list of East European Accessions (EPAI) LC Vol.9, no.2. Feb. 1960

Uncl.

7
100 0

ЖУРНАЛ
№ 1, Vol 13, 1958

А. ВЕНКА. А. Тилл. Contribution to the Study on the
Dynamic Impact Test

3

Characteristics of dynamically stressed material (pg. 2)

submitted to impact that the development of dynamic force
is similar to the deformation is similar to that obtained with

1ST AND 2ND COLUMNS		PROCESSING AND PROPERTY INDEX		3RD AND 4TH COLUMNS	
BC				A-5	
<p>Accelerating action of ketones on the Cannizzaro-Tischler reaction. II. Dependence of the accelerating action of ketones on the magnitude of the ketone : CH_2O ratio. M. N. Tschernobyl'skiy, Dokl. Akad. Nauk, 1963, 8, 766-773; Zh. Khim. II, 393. — The accelerating effect of ketones on the Cannizzaro reaction of CH_2O in aq. or aq. alcoholic NaOH soln. with increasing ketone concn. to a max., curves. The no. of CH_2O mole. bound by the given ketone under given conditions (OEtMe, 4, 4-methylpentan-3-one, OOPhMe 5); this part of the activation-ketone concn. curve is rectilinear. Further increase in ketone concn. inhibits the Cannizzaro reaction, owing to lowering of the effective (CH_2O).</p> <p style="text-align: right;">R. T.</p>					
<p>ASG-55A METALLURGICAL LITERATURE CLASSIFICATION</p>					
EDITION CYNOSCOPE		EDITION MAP GUY CH		EDITION GUY CH	
COLUMBIA		COLUMBIA		COLUMBIA	

[illegible]

BC

A-3

Accelerating action of ketones on the Cannizzaro-Tishchenko reaction. I. M. N. TILIT, KOURIKO (J. Gen. Chem. U.S.S.R., 1937, 7, 1086-1092).


The activity of a no. of ketones in accelerating the Cannizzaro reaction of 10% CH_3O with 0.1N-KOH or ketone concn., and inversely of $[\text{H}_2\text{O}]$, and rises in the order pinacol < valerone < COPr_2 < COMePr < COPhEt < COMe_2 < COEt_2 < COMeEt < COPhMe < COPhEt . This order is, however, different for different $[\text{CH}_3\text{O}]$. R. T.

ASB-11A METALLURGICAL LITERATURE CLASSIFICATION

FROM STUSSAYA

FROM BOWLEY

SELECT ONE



USSR/Human and Animal Physiology. Thermoregulation.

T

Abs Jour: Ref Zhur-Biol., No 20, 1958, 93050.

Author : Tilis, A. Yu.

Inst : AS Ukrainian SSR

Title : Variations in the Content of Gases (O_2 and CO_2) in the Blood of Dogs with Over-Exposure to the Sun.

Orig Pub: Vopr. krayevoy patol. All UkrSSR, 1956, vyp. 7, 96-102.

Abstract: Dogs (on short chains) were placed on a sun terrace with the temperature of the air in the shade at 32.8 - 35.9 degrees and a relative humidity of 23 - 28%. Blood for the Van Slyke determination of gas content was taken from the jugular vein and the femoral artery and vein. Three periods of overheating

Card : 1/3

US-12/Man and Animal Physiology. Thermoregulation.

T

Abs Jour: Ref Zhur-Biol., No 20, 1958, 93050.

were established with an average duration of: I - 37, II - 90, and III - 30 minutes and differed according to the rate of increase of the body temperature - 0.5, 0.2, and 0.7 degrees for each 10 minute period. At the beginning of the first period the oxygen capacity of the blood changed from 19.6 to 18.8 vol %, and O_2 consumption by the tissues from 28.8 to 26.6%. During the II and III periods the oxygen capacity and O_2 consumption rose to 21.1 and 68% respectively. Saturation of the blood by O_2 after the slight increase in period I came down to 83 in the arterial and 26.5 in the venous blood (at the instant of expiration of the animals), and the O_2 content remained unchanged in the arterial and fell in the venous blood from 12.8 to 5.6 vol %. The CO_2

Card : 2/3

USSR/Human and Animal Physiology. Thermoregulation.

T

Abs Jour: Ref Zhur-Biol., No 20, 1958, 93050.

content decreased for the entire time and amounted to 21.5 vol % in period III in the arterial blood and 27.6 vol % in the venous blood. Evidence of oxygen starvation with overheating proceeded according to a combined type of circulatory and hypoxic hypoxia. -- B.K. Khushivadze.

Card : 3/3

Tilis, A. Yu.

"Toward the Problem of the Pathogenesis of Radiation Sickness,"
by S. D. Kalenova, A. Yu. Tilis, Z. G. Teplyakova. V. I. Ka-
lugina, G. S. Levin, Uzbek Scientific Research Institute of
Blood Transfusion (director, A. T. Astanov), Problemy Gemato-
logii i Perelivaniya Krovi, Vol 2, No 2, Mar/Apr 57, pp 15-24

The purpose of the investigation was to study the significance of the
toxemic factor in the development of radiation sickness. With this in
mind, the effect of blood from irradiated animals on bone-marrow hemopoi-
esis in nonirradiated animals was studied.

Following the transfusion of blood from irradiated animals to non-
irradiated animals, disturbance of hemopoiesis which resembled in a number
of ways the disturbance in radiation sickness was observed. This indicates
the presence of some kind of toxemic factor in the blood of irradiated an-
imals which, when transfused, affects bone-marrow hemopoiesis in the same
direction but to a lesser degree than in direct radiation sickness. (U)

54M.1360

TILIS, A.Yu.

Distr: 4E3d

1796
PATHOGENESIS OF RADIATION SICKNESS. S. D. Kalca-
ova, A. Yu. TILIS, E. G. Teplovskaya, V. I. Kaluzina, ed
G. S. Loria. Uzbek Blood Transfusion Res. Inst. Lab.
Problems of Hematology and Blood Transfusion 2, 93-9
(1957).

TILIS, A.Yu.; LEVIN, G.S.; KALUGINA, V.I.

Effect of intra-arterial blood transfusion on blood regeneration under experimental conditions [with summary in English, p.63]. Probl. gemat. i perel. krovi 3 no.2:40-43 Mr-Apr '58. (MIRA 11:5)

1. Iz patofiziologicheskoy laboratorii (zav.-dotsent A.Yu. Tilis) Uzbekskogo nauchno-issledovatel'skogo instituta perelivaniya krovi (dir.-A.T. Astanov).

(BLOOD CELLS,

eff. of intra-arterial blood transfusion on regen. in animals
(Rus)

(BLOOD TRANSFUSION, experimental,

intra-arterial, eff. on blood cell regen. (Rus)

TILIS, A.Yu.

Some indexes of the respiratory function of the blood in anemia patients. Med.zhur.Uzb. no.7:35-40 J1 '58. (MIRA 13:6)

1. Iz patofiziologicheskoy laboratorii (zav. - dotsent A.Yu. Tilis) Uzbekskogo nauchno-issledovatel'skogo instituta perelivaniya krovi (direktor - A.T. Astanov, zam. direktora - doktor med.nauk G.S. Suleymanova).

(BLOOD--OXYGEN CONTENT)

(ANEMIA)

TILIS, A.Yu.

Mechanism of adaptation in animals in acute hemorrhage., Med.zhur.
Uzb. no.10:58-64 0 '58. (MIRA 13:6)

1. Iz patofiziologicheskoy laboratorii (zav. - dotsent A.Yu. Tilis) Uzbekskogo nauchno-issledovatel'skogo instituta perelivaniya krovi (direktor - kand.med.nauk A.T. Astanov, nauchnyy rukovoditel' - doktor med.nauk G.S. Suleymanova).
(HEMORRHAGE)

TILIS, A.Yu.

Gas composition of the blood of anemia patients in hot climates.
Izv. AN Uz. SSR Ser. med. no.1:53-60 '59. (MIRA 12:7)

1. Uzbekskiy nauchno-issledovatel'skiy institut perelivaniya krovi.
(BLOOD, GASES IN) (ANEMIA)

TILIS, A.Yu.; LEVIN, G.S.; KADIGINA, V.I.

Regeneration of serum proteins following acute blood loss in
different seasons. Vop. med. khim. 9 no.6:570-574. N-D 163.
(MIRA 17:10)

1. Kafedra patologicheskoy fiziologii Kirgizskogo meditsinskogo
instituta, Frunze.

TILIS, A. Yu.

Some characteristics of respiratory insufficiency in anemia
patients at high environmental temperatures. Sov. zdrav.
Kir. no. 4/5:50-55 J1-0'63 (MIRA 17:1)

1. Iz kafedry patologicheskoy fiziologii (zav. - prof. A. Yu.
Tilis) Kirgizskogo gosudarstvennogo meditsinskogo instituta.

TILIS, A. Yu. (Frumze)

Importance of toxemia in the development of cardiovascular
insufficiency during solar-thermal overheating. Pat. fiziol.
eksp. ter. 7 no. 5:29-34 S-0'63 (MIRA 17:2)

1. Iz kafedry patlogicheskoy fiziologii (zav. - prof. A.Yu.
Tilis) Kirgizskogo meditsinskogo instituta.

LEVIN, G.S.; TILIS, A.Yu.; TRET'YAKOVA, N., red.; AGZAMOV, K.,
tekhn. red.

[Blood and blood substitutes in the struggle for human
life] Krov' i krovezameniteli v bor'be za zhizn' chelove-
ka. Tashkent, Medgiz UzSSR, 1962. 55 p.

(MIRA 16:11)

(BLOOD--TRANSFUSION)
(BLOOD PLASMA SUBSTITUTES)

TILIS, A. Yu.; VENGERSKAYA, Kh. Ya.; STEPOVAYA, N. Ye. (Tashkent)

Diagnostic significance of the value of the coefficient of
insufficient oxidation during the action of heavy metals. Gig.
truda i prof. zab. no.3:30-34 '62. (MIRA 15:4)

1. Uzbekskiy nauchno-issledovatel'skiy institut sanitarii,
gigiyeny i profzabolevaniy.

(METALS—TOXICOLOGY)
(OXIDATION, PHYSIOLOGICAL)

TILIS, A.Yu.

Hemodynamics and the oxygen supply of the body in heart valve defects
under high external temperature. Sov. zdrav. Kir. no.3:10-14 My-Je '62.

(MIRA 15:5)

1. Iz kafedry patologicheskoy fiziologii (zav. - prof. A.Yu.Tilis)
Kirgizskogo gosudarstvennogo meditsinskogo instituta.

(HEART—VALVES—DISEASES)

(BLOOD—CIRCULATION, DISORDERS OF) (OXYGEN IN THE BODY)

MATSNEVA, N.M.; TILIS, A.Yu., doktor meditsinskikh nauk

Secretory and motor function of the stomach in peptic ulcer patients following plasmotherapy. Med.zhur. Uzb. no.11:50-56 N '63.

(MIRA 14:5)

1. Iz Uzbekskogo nauchno-issledovatel'skogo instituta gematologii i perelivaniya krovi gosital'noy khirurgicheskoy kliniki sanitarnogo i pediatricheskogo fakul'tetov (zav. - prof. V.K. Yasevich) Tashkentakogo gosudarstvennogo meditsinskogo instituta.
(PEPTIC ULCER) (BLOOD PLASMA)

TILIS, A.Yu.; SULEYMANOVA, G.S.

Problem of the pathogenesis of inflammatory leukocytosis. Probl.
gemat.i perel.krovi 5 no.6:40-43 Je '60. (MIRA 13:12)
(LEUKOCYTOSIS) (INFLAMMATION)

TILIS, Abram Yul'yevich; AKSEL'ROD, M.B., red.; SHUSTER, Ya.S., tekhn. red.

[Respiratory function of the blood in healthy subjects and anemic patients under conditions of a hot climate] Dykhatel'naia funktsiia krovi u liudei zdorovykh i bol'nykh anemiei v usloviakh zharkogo klimata. Tashkent, Gos.med.izd-vo M-va zdravookhraneniia UzSSR, 1960. 247 p. (MIRA 14:12)
(BLOOD, GASES IN) (UZBEKISTAN--CLIMATOLOGY, MEDICAL) (ANEMIA)

TILIS, F.

Results of regulating wages at the Kolomna Diesel Locomotive Plant.
Sots. trud 5 no.12:127-131 D '60. (MIRA 14:6)

1. Nachal'nik otдела truda i zarabotnoy platy Kolomenskogo
teplovozostroitel'nogo zavoda imeni V.V. Kuybysheva.
(Kolomna--Diesel locomotives)
(Wage payment systems)

GREKOV, Aleksey Dmitriyevich [deceased]; TILIS, K.M., red.; OSIPENKO, V.,
tekhn.red.

[Selected works] Izbrannye trudy. Tashkent, Med.gos.izd-vo
M-va zdravookhraneniia UzSSR, 1960. 110 p.

(MIRA 15:5)

(GREKOV, ALEKSEI DMITRIEVICH, 1873-1957)

TILIVEA, N., ing.

Possibilities of maintaining or raising the production in the
old yards of the Pitesti Oil Extraction Trust. Petrol si gaze
14 no.5:246-250 My'63.